MENU

MX412 & MX418

Gooseneck Microphones






Gooseneck condenser microphones offer wide frequency response and accurate sound reproduction.

BUY IT NOW

Product Details

Features



Features

Available with a variety of heights and mounting styles to choose from. The S/C, S/S, and S/N models include a silent mute switch with LED indicator, a Shure Microflex exclusive.

C = Cardioid, S = Supercardioid, N = No Cartridge

Gooseneck Micropho	nes	
MX412/C MX412/S MX412/N	12"	Attached XLR Preamp, Shock & Flange Mount, Snap-Fit Foam Windscreen
MX418/C MX418/S MX418/N	18"	Attached XLR Preamp, Shock & Flange Mount, Snap-Fit Foam Windscreen
MX412S/C MX412S/S MX412S/N	12"	Attached XLR Preamp, Shock & Flange Mount, Snap-Fit Foam Windscreen, Mute Switch, LED Indicator
MX418S/C MX418S/S MX418S/N	18"	Attached XLR Preamp, Shock & Flange Mount, Snap-Fit Foam Windscreen, Mute Switch, LED Indicator
MX412SE/C MX412SE/S MX412SE/N	12"	In-Line Preamp, Shock & Flange Mount, 10' Side- (or Bottom-) Exit Cable, Snap-Fit Foam Windscreen
MX418SE/C MX418SE/S MX418SE/N	18"	In-Line Preamp, Shock & Flange Mount, 10' Side- (or Bottom-) Exit Cable, Snap-Fit Foam Windscreen
Desktop Gooseneck	Microp	phones

MX412D/C MX412D/S MX412D/N	12"	Desktop Base with 10' Cable, Logic Functions, Programmable Switch, LED Indicator, Snap-Fit Foam Windscreen
MX418D/C MX418D/S MX418D/N	18"	Desktop Base with 10' Cable, Logic Functions, Programmable Switch, LED Indicator, Snap-Fit Foam Windscreen

- Wide dynamic range and frequency response for accurate sound reproduction across the audio spectrum
- Interchangeable cartridges provide the right polar pattern for every application
- Balanced, transformerless output for increased immunity to electromagnetic hum and RF interference over long cable runs
- Shock mount provides over 20 dB isolation from surface vibration noise
- Locking flange mount for permanently securing microphone to lecterns, pulpits, or conference tables
- Snap-fit foam windscreen
- Programmable on/off switch and LED on/off indicator (MX412D/MX418D)
- New brighter LED improves visibility under strong ambient lighting (MX412D/MX418D)
- Logic input and output terminals for remote control or use with automatic microphone mixers (MX412D/MX418D)
- Supplied shock mount for more than 20 dB isolation from surface transmitted noise (MX412SE/MX418SE)
- Supplied threaded flange mount for permanently securing the microphone to a lectern, pulpit, or conference table (MX412SE/MX418SE)

Applications	Microphone Type	Polar Pattern
Conferencing	Condenser	Cardioid
Paging/Two-way Radio/Intercom		SuperCardioid

Form Factor Frequency Response Model Line Tailored Gooseneck Microflex **Available Options** 12" (304.8 mm) Goosenecks. See options below. MX412 MX418 18" (457.2 mm) Goosenecks. See options below. Includes Mute Switch and LED Indicator. See options below. MX412S Includes Mute Switch and LED Indicator. See options below. MX418S MX412SE Includes 10' (3 m) Side- (or Bottom-) Exit Cable. See options below. MX418SE Includes 10' (3 m) Side- (or Bottom-) Exit Cable. See options below. Desktop Goosenecks include Base & Cable. See options below. MX412D (shown) MX418D Desktop Goosenecks include Base & Cable. See options below. **Specifications** Accessories **Related Products**



Software & Downloads

Brochures		
Microflex Microphones Product Brochure	PDF	1.6 mb
CAD Drawings		
MX412 MX418 MX412S MX418S CAD Drawings	ZIP	32.3 kb
MX412D MX418D CAD Drawings	ZIP	14.7 kb
MX412SE MX418SE CAD Drawings	ZIP	10.8 kb
Specification Sheets		
MX412 MX418 MX412S MX418S Specification Sheet	PDF	105 kb
MX412D MX418D Specification Sheet	PDF	88.1 kb

MX412SE MX418SE Specification Sheet	PDF	78.5 kb
User Guides		
MX400SE Series User Guide	PDF	6 mb
MX412 418 412S 418S User Guide	PDF	5.43 mb
MX412D MX418D User Guide	PDF	7.42 mb

Product Support

Find an Answer

SEARCH

How do I make a wireless gooseneck microphone?

Building a Wireless Desktop Microphone Using the MX412SE, MX418SE, EZG/12SE (discontinued)...

Compare Conference Room mic placement

Here is a video created by Shure's representative in Northern California, PCM Marketing. This...

Replace an SM99

The SM99 was replaced with the MX412 and MX418. These are available in many different models with...

Microphone popping MX400S series

Any miniature condenser mic like the MX400 series will pop due to the small size and very small... Extension for MicroFlex (MX400 series) Gooseneck Shure does not provide this service. However, this service is offered by: Garret Maki 1205 W. 7th... FOR ADDITIONAL ANSWERS OR TO ASK A QUESTION, VISIT OUR CUSTOMER HELP CENTER GET LIVE SUPPORT We're sorry, chat is currently unavailable. Check back on weekdays, from 8 AM to 4 PM, CST. Service & Repair WE SUBSCRIBERS Sign up for the chance to win 1 of 5 exclusive swag packages awarded monthly, including a tee-shirt you can't get anywhere else. You'll also get our monthly Shure Notes® digest with how-to tips, product info, artist news, event invitations, and special promotions, plus occasional timely offers and announcements. **Email Address** SIGN UP

ABOUT SHURE

CAREERS

PRESS RELEASES

EVENTS

PARTNERS

LEGAL

PRODUCTS

Microphones

Wireless Systems

Earphones

Personal Monitor Systems

Phono

Mixers & DSP

Software

Discussion Systems

Headphones

RESOURCES

Service & Repair

Find An Answer

Mic Listening Lab

Tools

POPULAR LINKS

SM58 Vocal Microphone

BLX Wireless Systems

SE215 Sound IsolatingTM Earphones

ULX-D Digital Wireless Systems

SM57 Instrument Microphone

QLX-D Digital Wireless Systems

GLX-D Digital Wireless Systems

About Shure

Dealer Login

Product Registration & Warranty Guarantee

Privacy Policy

Contact Us

Desktop Site